



Doheny Oak AV75ODOH



Pismo Oak AV75OPIS



Big Sur Oak AV750Big



Venice Oak AV75OVEN



Santa Monica Oak AV75OSAN



Cambria Oak AV75OCAM



Malibu Oak AV75OMAL



Laguna Oak AV75OLAG



Del Mar Oak AV75ODEL



Balboa Oak AV75OBAL



Huntington Oak AV75OHUN



Cardiff Oak AV75OCD



Features

| | |
|------------------|---|
| Dimensions: | 7.5" x 6'2" RL |
| Thickness: | 5/8" Engineered TrueCore Centerply 4mm Sawn Cut Face |
| Finish: | Nu Oil® |
| Edge Detail: | Handcrafted Bevel |
| Surface Texture: | Lightly Sculpted & Wire Brushed |
| Certified: | EPA - TSCA Title VI Compliant 3rd Party Certified - 3 Harvested |
| TrueCore: | Third Party Certified |
| Warranty: | Limited Lifetime residential finish Limited Lifetime residential structural 3 year commercial finish 10 year commercial structural |
| Maintenance: | APPROVED CLEANERS: WOCA Natural Soap Spray and Natural Soap Concentrate, Bona® Pro Series Natural Oil Floor Cleaner OR LOBA® Universal Floor Cleaner |

Benefits

| | |
|-----------------|--|
| Finish: | Nu Oil® - Best stain & color protection Protective low sheen - provides a truly natural wood floor No additional recoat at time of install |
| 4mm Wear Layer: | Ultra thick wear layer provides lasting durability Same wear layer as 3/4 solid wood floors Easier to repair or touch up if an accident occurs |
| Structure: | 75% Greater dimensional stability than 3/4" solid Healthy indoor air quality - Third party certified TrueCore centerply for maximum stability |




VENICE OAK

Trim Options

Stair Nose
T-molding
Threshold
Reducer

Installation



Installs over: concrete, wood, vinyl floors and radiant heat systems. Above, on or below grade.

Fumed Characteristics

What to Expect with Fumed Floors



1. Regional Variation
2. Batch Variation
3. Plank Variation

All colors in the Alta Vista Collection are fumed, with the exception of Laguna Oak.

Fuming simply deepens the natural colors and highlights the contrast of the wood planks without using stain to cover them. Our process creates a naturally richer, darker, clearer floor with a higher contrast of colors from board to board.

What is Fumed Hardwood?

This is a natural accelerated aging process used to enhance the dark to light shades within every wood plank, batch & region. The deepening in color and variation is created by adding a natural oxidizing agent in a controlled environment to react with the naturally present tannins in the wood - Time, Temperature & Tannins (naturally present in the wood) mix to create one of a kind planks that we add to our Collections. While a very controlled environment and process, it is not 100% precise, every region, grove and tree produces individually unique high contrast color palette.

Learn more about the beauty of fuming,
www.hallmarkfloors.com/the-beauty-of-fumed-hardwood-floors/

Light Characteristics

Wood Floor Plank with Natural Finish
Light* Exposure Over 48 Months



Wood Characteristics

Color, Graining & Natural Changes



Wood flooring is a natural product that will feature distinct color and graining between planks. Each board contains large to small knots, sap wood, and a high contrast within the natural and lighter stained visuals. Knots and voids may or may not be filled with dark putty.

Note: This sample may not be representative of your entire installed floor, for your reference and the latest updated information, please refer to hallmarkfloors.com to see our online room scenes and product galleries.

Before installation review the samples with the floor and verify our beautiful one of a kind floor is what you are expecting.

Installation constitutes acceptance.